

JINDAO RAISED ACCESS FLOOR SYSTEMS

— 600 x 600 mm Woodcore Access Panels & Understructures

Jindao


WOODCORE ACCESS PANEL

The modular square access panel consists of the following parts:

- ▣ 38mm thickness high-density particle board panel, with galvanized steel reinforcement underneath
- ▣ Particle board panel is encapsulated by 4 pieces of black PVC strips along the side of the panel
- ▣ Covering: Vinyl/Linoleum, HPL, Steel

| Panel Type | Panel Grade (EN 12825) | Dynamic Load (kN) | Concentrated Load (kN) | Uniform Load (kN/m ²) | Fire Protection (DIN 4102) | General Construction (Top/Middle/Bottom) |
|----------------|------------------------|-------------------|------------------------|-----------------------------------|----------------------------|--|
| WP1000V | Heavy | 4.5 | 5.5 | 20 | B1 | Vinyl/Chipboard/steel |
| WP1000H | Heavy | 4.5 | 5.5 | 20 | B1 | HPL/Chipboard/steel |
| WP1000B | Heavy | 4.5 | 5.5 | 20 | B1 | Steel/Chipboard/steel |





PEDESTAL & STRINGER

- ▮ Finished floor height from 90mm to 900mm
- ▮ 1.2mm steel stringer

